
the COtton Wrap

8th December 2023

Spray drift has ALREADY been reported in some cotton districts. With fallow sprays before Christmas, PLEASE; let's prevent any spray drift in the Namoi region.

DO NOT SPRAY DURING A HAZARDOUS INVERSION – Check your closest <u>WAND</u> tower before and during spraying.

WAND is available to all farmers and spray contractors for free. To access the WAND app go to https://app.wand.com.au/



This figure shows the time of a hazardous inversion in the Burren Junction district in the last 24 hours – were you spraying in the Burren district between 10:40pm on the 7th December and 8am on the 8th December 2023?? If so, you were spraying during a hazardous inversion and there is a high risk you will have drifted chemical off target! This is ILLEGAL.

PLEASE AVOID USING VOLATILE PRODUCTS – look for safer options and follow the SOS 5 commandments when spraying.

The WAND system only detects hazardous inversions you still need to follow the 5 commandments during all spray operations.












Five commandments according to SOS



Observe label directions for minimum and maximum droplet size. Water rates may need to be modified with increased droplet sizes

- When we <u>Choose to Spray</u>, will determine where and how far the spray driftable fraction of our application will move
- The **Sprayer Set-up** will determine how much product will be left in the air.
- Coarser Spray Qualities / Nozzles will lower drift risk but can also impact efficacy
- Having a set of <u>Spray-Plans</u> for different paddock situations will enable efficient, safe and effective spraying.

Source: Harry Pickering, ADAMA, GRDC webinar: <u>The new inversion tower network and reducing spray drift risk</u>















This figure shows the presence of hazardous inversions between 30th November 2023 and 8th December 2023 at Burren Junction. Source: https://app.wand.com.au/

This information is available for ALL WAND INVERSION TOWERS, the data is there for all and can show when a hazardous inversion has occurred AND what's expected in the next couple of hours.

The WAND system provides a nowcast, updated every 10 mins, so you can plan your tank mixes and STOP before a hazardous inversion is present.



This is an example of what the app looks like when you choose a tower on WAND. If you were spraying now, you could see that a hazardous inversion is imminent within the next 2 hours, so you need to be checking the wand regularly and planning to pull up until the inversion has passed.

Using the WAND towers can open the window for extra spray hours, but you must keep checking WAND regularly and know your local weather conditions AND you must still follow the SOS 5 commandments.











What you need to know (taken from CottonInfo Drift Update and Resources Dec 2022):

- Map your crops on SataCrop https://satacrop.com.au
- Notify your neighbours when spraying
- Follow the 5 commandments according to SOS (Stop Off Target Spraying) and <u>Keep the spray</u> on the weeds
- Use the <u>WAND</u> system to check for hazardous inversions
- Support your local SOS (Stop Off-target Spraying) Group
- If you have crops that get drifted please notify Cotton Australia by using their Snap Send Solve App.
- If you want to report an incident to EPA call 131 555. Read this <u>EPA factsheet</u> to understand the reporting process

Cotton Australia Drift reporting - Snap Send Solve App

Cotton Australia has a new tool for easy reporting of spray drift which helps cotton farmers to photograph and report drift incidents so other growers and industry stakeholders can be alerted as quickly as possible.

Growers first download the App and then sign into the Cotton Australia group.

The <u>step-by-step guide</u> is available on the <u>Cotton Australia website</u> and the <u>password/code is</u> <u>Cott123.</u>

Once you are signed in, you can take a photo of spray drift damage or evidence and send it to Cotton Australia for appropriate action. You can also give approval for Cotton Australia to refer the incident to the relevant authority for investigation.

It allows Cotton Australia to provide the relevant authorities real-time mapping of spray drift incidents so that they can take appropriate action to prevent further drift incidences.

Setting Up Private Reporting Mode

















3 Select 'Private Reporting Mode from the list of options.



Select 'Enter
Your Authority's
Code'.



Insert code
'cott123'. This
code only needs
to be entered
once.



Start a report by selecting 'Report Now'.












WAND SYSTEM

WAND (Weather and Networked Data) is a new technology that provides real time weather data about the presence or absence of hazardous temperature inversions. This will take the guess work out of when you can and can't spray and potentially open more spraying hours with greater certainty. 100 inversion towers (10 m high, Profiling Automatic Weathers Stations (PAWS)) have been installed across the eastern Australian grain and cotton regions. The data is available on the WAND app via your phone, ipad or desktop. If a hazardous inversion is present, you cannot spray. However, if a hazardous inversion is absent, you can consider spraying so long as and all other label recommendations are being met, ie wind speed, nozzles, application speed, boom height etc. A short video about the WAND system is available <a href="https://example.com/here-example.co



Emma Chorley (nee Lambeth)

Regional Extension Officer | Namoi & Bourke | CottonInfo

M 0455 525 155 |

E emma.chorley@cottoninfo.net.au

W www.cottoninfo.com.au

Disclaimer - © Cotton Seed Distributors Ltd 2023. This information is provided as a general guide only; not comprehensive or specific technical advice. Circumstances vary from farm to farm. To the fullest extent permitted by law, CSD expressly disclaims all liability for any loss or damage arising from reliance upon any information, statement or opinion in this document or from any errors or omissions in this document.











